

Message

From: Armann, Steve [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=A0E0EA7A009D4D75BC7BEA58747CCF9E-SARMANN]
Sent: 7/8/2016 2:30:18 PM
To: Huetteman, Tom [Huetteman.Tom@epa.gov]
Subject: RE: Ag Park HELP!

Non-Responsive - as agreed with Requestor

Steven S. Armann, Manager
Corrective Action Office (LND-4-1)
USEPA Region 9
75 Hawthorne Street
San Francisco, CA 94105

Phone: 415-972-3352
Fax: 415-947-3533
Email: armann.steve@epa.gov

From: Huetteman, Tom
Sent: Friday, July 08, 2016 7:23 AM
To: Lyons, John <Lyons.John@epa.gov>
Cc: Manzanilla, Enrique <Manzanilla.Enrique@epa.gov>; Armann, Steve <Armann.Steve@epa.gov>; ZIFF, SARA <ZIFF.SARA@EPA.GOV>; LEONIDO-JOHN, STEVEN <Leonido-John.Steven@epa.gov>; Scott, Jeff <Scott.Jeff@epa.gov>; Barhite, Steven <Barhite.Steven@epa.gov>
Subject: RE: Ag Park HELP!

Non-Responsive - as agreed with Requestor

Tom Huetteman, Assistant Director
Land Division, USEPA Region 9
415-972-3751

From: Armann, Steve
Sent: Friday, July 08, 2016 7:08 AM
To: Huetteman, Tom <Huetteman.Tom@epa.gov>
Subject: FW: Ag Park HELP!

Steven S. Armann, Manager
Corrective Action Office (LND-4-1)

USEPA Region 9
75 Hawthorne Street
San Francisco, CA 94105

Phone: 415-972-3352
Fax: 415-947-3533
Email: armann.steve@epa.gov

From: Lyons, John
Sent: Thursday, July 07, 2016 6:15 PM
To: Manzanilla, Enrique <Manzanilla.Enrique@epa.gov>; Armann, Steve <Armann.Steve@epa.gov>; ZIFF, SARA <ZIFF.SARA@EPA.GOV>
Cc: LEONIDO-JOHN, STEVEN <Leonido-John.Steven@epa.gov>; Scott, Jeff <Scott.Jeff@epa.gov>
Subject: Fwd: Ag Park HELP!

Non-Responsive - as agreed with Requestor

Sent from my iPhone
Begin forwarded message:

From: "Penny Newman" <penny.n@CCAIEJ.org>
To: "LEONIDO-JOHN, STEVEN" <Leonido-John.Steven@epa.gov>, "Lyons, John" <Lyons.John@epa.gov>, "Plate, Mathew" <Plate.Mathew@epa.gov>, "Praskins, Wayne" <Praskins.Wayne@epa.gov>
Subject: Ag Park HELP!

Hi Guys, We desperately need help! We just received DTSC's workplan for the Ag Park. They did over 1200 sample testing at the site – because they kept finding PCBs! And yet there are big gaps in the testing that was conducted. The highest levels are closest to the homes! We have very grave concerns about this work and would love to sit down with you to discuss the plan. I realize you are all very busy with your own work but we are terrified that DTSC is going to screw this up again and the residents will be exposed to PCBs, dioxins and other COC. Would it be possible to get a meeting with you? We're willing to fly up to San Francisco if necessary. Our meeting with DTSC is Wednesday evening. Any possibility of getting together before then?

Attached is the plan. It just doesn't make sense to us. Thanks so very much. We'd owe you big time. Penny